

L Number	Hits	Search Text	DB	Time stamp
19	2	("5854882").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 14:20
20	2	("6538762").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 14:20
21	8007	(358/1.15, 358/1.9).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 14:21
22	1063	(printer\$5 with network\$5) same (printer\$5 near3 (characteristic\$5 profil\$5 information\$5 capabilit\$5 parameter\$5)) and @ad<19991007 not ((printer\$5 with network\$5) same (printer\$5 near3 (characteristic\$5 profil\$5 information\$5 capabilit\$5 parameter\$5)) same (test\$5 near4 pattern\$5) and @ad<19991007)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 14:21
23	178	((358/1.15, 358/1.9).ccls. ) and ((printer\$5 with network\$5) same (printer\$5 near3 (characteristic\$5 profil\$5 information\$5 capabilit\$5 parameter\$5)) and @ad<19991007 not ((printer\$5 with network\$5) same (printer\$5 near3 (characteristic\$5 profil\$5 information\$5 capabilit\$5 parameter\$5)) same (test\$5 near4 pattern\$5) and @ad<19991007))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 14:26
-	0	(printer\$5 with network\$5) same (printter\$5 near3 (characteristic\$5 profil\$5 information\$5 capabilit\$5 parameter\$5)) same (test\$5 near4 pattern\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 14:26
-	1	((printer\$5 with network\$5) same (printer\$5 near3 (characteristic\$5 profil\$5 information\$5 capabilit\$5 parameter\$5)) same (test\$5 near4 pattern\$5) ) and ((convert\$5 interpret\$5 binarazation\$5) same (multi\$10 near4 imag\$5 gray\$6 adj2 scal\$5) same (binary\$5) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 14:23
-	937	(convert\$5 interpret\$5 binarazation\$5) same (multilevel\$5 near4 imag\$5 gray\$6 adj2 scal\$5) same (binary\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 14:25
-	1	((printer\$5 with network\$5) same (printer\$5 near3 (characteristic\$5 profil\$5 information\$5 capabilit\$5 parameter\$5)) same (test\$5 near4 pattern\$5) ) and ((convert\$5 interpret\$5 binarazation\$5) same (multilevel\$5 near4 imag\$5 gray\$6 adj2 scal\$5) same (binary\$5) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 17:59
-	11	(printer\$5 with network\$5) same (printer\$5 near3 (characteristic\$5 profil\$5 information\$5 capabilit\$5 parameter\$5)) same (test\$5 near4 pattern\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 14:32
-	0	(printer\$5 with network\$5) same (printter\$5 near3 (characteristic\$5 profil\$5 information\$5 capabilit\$5 parameter\$5)) same (binary\$5 near4 imag\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 14:27

-	3	(print\$5 with network\$5) same (printer\$5 near3 (characteristic\$5 profil\$5 information\$5 capabilit\$5 parameter\$5)) same (binary\$5 near4 imag\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 14:30
-	722	(convert\$5 binarization\$5) with (multilevel\$5 multi\$5 adj2 level\$5 gray\$5 near4 scal\$5) with (imag\$5) with binary\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 14:52
-	2542	(printer\$5 with network\$5) same (printer\$5 near3 (characteristic\$5 profil\$5 information\$5 capabilit\$5 parameter\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 16:14
-	8	((convert\$5 binarization\$5) with (multilevel\$5 multi\$5 adj2 level\$5 gray\$5 near4 scal\$5) with (imag\$5) with binary\$5) and ((printer\$5 with network\$5) same (printer\$5 near3 (characteristic\$5 profil\$5 information\$5 capabilit\$5 parameter\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 14:34
-	2	("5,129,639").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 14:39
-	3141	(printer\$5 near3 (characteristic\$5 profil\$5 information\$5 capabilit\$5 parameter\$5)) same network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 15:32
-	14	(printer\$5 near3 (characteristic\$5 profil\$5 information\$5 capabilit\$5 parameter\$5)) same network\$5 same (test\$5 near4 (pattern\$5 area\$5 patch\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 14:41
-	1	((convert\$5 binarization\$5) with (multilevel\$5 multi\$5 adj2 level\$5 gray\$5 near4 scal\$5) with (imag\$5) with binary\$5) and ((printer\$5 near3 (characteristic\$5 profil\$5 information\$5 capabilit\$5 parameter\$5)) same network\$5 same (test\$5 near4 (pattern\$5 area\$5 patch\$5)) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 14:41
-	3200	(printer\$5 near3 (characteristic\$5 profil\$5 information\$5 capabilit\$5 parameter\$5)) same network\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 14:41
-	1	((((convert\$5 binarization\$5) with (multilevel\$5 multi\$5 adj2 level\$5 gray\$5 near4 scal\$5) with (imag\$5) with binary\$5) and ((printer\$5 near3 (characteristic\$5 profil\$5 information\$5 capabilit\$5 parameter\$5)) same network\$5)) and (test\$5 near4 (pattern\$5 area\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 14:41
-	9	((convert\$5 binarization\$5) with (multilevel\$5 multi\$5 adj2 level\$5 gray\$5 near4 scal\$5) with (imag\$5) with binary\$5) and ((printer\$5 near3 (characteristic\$5 profil\$5 information\$5 capabilit\$5 parameter\$5)) same network\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 14:42
-	1531	(convert\$5 binarization\$5 chang\$5) with (multilevel\$5 multi\$5 adj2 level\$5 gray\$5 near4 imag\$4) with binary\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 14:45

-	8	((printer\$5 near3 (characteristic\$5 profil\$5 information\$5 capabilit\$5 parameter\$5)) same network\$5) and ((convert\$5 binarization\$5 chang\$5) with (multilevel\$5 multi\$5 adj2 level\$5 gray\$5 near4 imag\$4) with binary\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 14:45
-	20	("4651278"   "4739397"   "4905097"   "4956638"   "5031050"   "5050098"   "5075874"   "5086497"   "5087981"   "5166786"   "5220674"   "5228118"   "5243691"   "5261080"   "5270837"   "5282059"   "5293466"   "5296940"   "5303336"   "5353388").PN.	USPAT	2004/04/12 14:46
-	1385	(convert\$5 binarization\$5) with (multilevel\$5 multi\$5 adj2 level\$5 gray\$5 near4 scal\$5) with binary\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 15:33
-	2067	(convert\$5 binarization\$5) with (multilevel\$5 multi\$5 adj2 level\$5 RGB\$4 (color\$5 near2 imag\$5) gray\$5 near4 (scal\$5 imag\$5)) with binary\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 14:53
-	8	((printer\$5 near3 (characteristic\$5 profil\$5 information\$5 capabilit\$5 parameter\$5)) same network ) and ((convert\$5 binarization\$5) with (multilevel\$5 multi\$5 adj2 level\$5 RGB\$4 (color\$5 near2 imag\$5) gray\$5 near4 (scal\$5 imag\$5)) with binary\$5) and @ad<19991007	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 14:58
-	20	convert\$5 with (RBG\$5 color\$5 adj2 imag\$5 gray\$5 near2 imag\$5 multilevel\$5 multi\$5 near2 level\$5) with (binary\$5) same (printer\$5 with (parameter\$5 capabil\$5 profile\$5 information\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 15:27
-	156	convert\$5 with (RBG\$5 color\$5 adj2 imag\$5 gray\$5 near2 imag\$5 multilevel\$5 multi\$5 near2 level\$5) with (binary\$5) and (printer\$5 with (parameter\$5 capabil\$5 profile\$5 information\$5)) and @ad<19991007	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 15:05
-	24	(convert\$5 binarization) with (RBG\$5 color\$5 adj2 imag\$5 gray\$5 near2 imag\$5 multilevel\$5 multi\$5 near2 level\$5) same (binary\$5) same (printer\$5 with (parameter\$5 capabil\$5 profile\$5 information\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 15:28
-	24	convert\$5 with (RBG\$5 color\$5 adj2 imag\$5 gray\$5 near2 imag\$5 multilevel\$5 multi\$5 near2 level\$5) same (binary\$5) same (printer\$5 with (parameter\$5 capabil\$5 profile\$5 information\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 15:28
-	8	((printer\$5 with network\$5) same (printer\$5 near3 (characteristic\$5 profil\$5 information\$5 capabilit\$5 parameter\$5)) and ((convert\$5 binarization\$5) with (multilevel\$5 multi\$5 adj2 level\$5 gray\$5 near4 scal\$5) with binary\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 15:31
-	7304	(printer\$5 with (characteristic\$5 profil\$5 information\$5 capabilit\$5 parameter\$5)) same network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 15:32
-	1611	(convert\$5 binarization\$5) with (multilevel\$5 multi\$5 adj2 level\$5 gray\$5 near4 scal\$5 gray\$5 near4 imag\$5) with binary\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 15:34

-	24	((printer\$5 with (characteristic\$5 profil\$5 information\$5 capabilit\$5 parameter\$5)) same network ) and ((convert\$5 binarization\$5) with (multilevel\$5 multi\$5 adj2 level\$5 gray\$5 near4 scal\$5 gray\$5 near4 imag\$5) with binary\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 15:33
-	15	((printer\$5 with (characteristic\$5 profil\$5 information\$5 capabilit\$5 parameter\$5)) same network ) and ((convert\$5 binarization\$5) with (multilevel\$5 multi\$5 adj2 level\$5 gray\$5 near4 scal\$5 gray\$5 near4 imag\$5) with binary\$5)) and @ad<19991007	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 15:35
-	2228	(convert\$5 binarization\$5) with (RGB\$5 multilevel\$5 multi\$5 adj2 level\$5 gray\$5 near4 scal\$5 gray\$5 near4 imag\$5) same binary\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 15:35
-	35	((printer\$5 with (characteristic\$5 profil\$5 information\$5 capabilit\$5 parameter\$5)) same network ) and ((convert\$5 binarization\$5) with (RGB\$5 multilevel\$5 multi\$5 adj2 level\$5 gray\$5 near4 scal\$5 gray\$5 near4 imag\$5) same binary\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 15:35
-	22	((printer\$5 with (characteristic\$5 profil\$5 information\$5 capabilit\$5 parameter\$5)) same network ) and ((convert\$5 binarization\$5) with (RGB\$5 multilevel\$5 multi\$5 adj2 level\$5 gray\$5 near4 scal\$5 gray\$5 near4 imag\$5) same binary\$5)) and @ad<19991007	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 18:11
-	101	(convert\$5 chang\$5 alter\$5 modif\$5) with (RGB\$3 gray\$5 near2 scal\$5 gray\$5 near2 imag\$5 color\$5 near2 imag\$5 multilevel\$5 multi\$5 near2 level\$5) same (binary\$5) same (print\$5 with (capabil\$5 information\$5 profil\$5 attribut\$5 parameter\$5 characteristic\$5)) and @ad<19991007	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 15:43
-	10	(printer\$5 with network\$5) same (printer\$5 near3 (characteristic\$5 profil\$5 information\$5 capabilit\$5 parameter\$5)) same (test\$5 near4 pattern\$5) and @ad<19991007	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 16:18
-	1	(printer\$5 with network\$5) same (printer\$5 near3 (characteristic\$5 profil\$5 information\$5 capabilit\$5 parameter\$5)) same (convert\$5 with binary\$5) and @ad<19991007	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 16:17
-	1	(printer\$5 with network\$5) same (printer\$5 near3 (characteristic\$5 profil\$5 information\$5 capabilit\$5 parameter\$5)) same (convert\$5 same binary\$5) and @ad<19991007	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 16:18
-	70	(printer\$5 with network\$5) same (printer\$5 near3 (characteristic\$5 profil\$5 information\$5 capabilit\$5 parameter\$5)) same (convert\$5 samebinary\$5) and @ad<19991007	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 16:17
-	2	(printer\$5 with network\$5) same (printer\$5 near3 (characteristic\$5 profil\$5 information\$5 capabilit\$5 parameter\$5)) same (test\$5 near4 (pattern\$5 patch\$5 area\$5)) and @ad<19991007 not ((printer\$5 with network\$5) same (printer\$5 near3 (characteristic\$5 profil\$5 information\$5 capabilit\$5 parameter\$5)) same (test\$5 near4 pattern\$5) and @ad<19991007)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 16:19

-	83	(printer\$5 with network\$5) same (printer\$5 near3 (characteristic\$5 profil\$5 information\$5 capabilit\$5 parameter\$5)) and (test\$5 near4 (pattern\$5 patch\$5 area\$5)) and @ad<19991007	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 16:20
-	20	("4651278"   "4739397"   "4905097"   "4956638"   "5031050"   "5050098"   "5075874"   "5086497"   "5087981"   "5166786"   "5220674"   "5228118"   "5243691"   "5261080"   "5270837"   "5282059"   "5293466"   "5296940"   "5303336"   "5353388").PN.	USPAT	2004/04/12 16:37
-	18	(convert\$5 with binary\$5) same (printer\$5 adj2 (attribut\$5 parameter\$5 information\$5 characteristic\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 16:43
-	9	(convert\$5 same binary\$5) same (printer\$5 adj2 (attribut\$5 parameter\$5 information\$5 characteristic\$5)) not ((convert\$5 with binary\$5) same (printer\$5 adj2 (attribut\$5 parameter\$5 information\$5 characteristic\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 16:44
-	150	(convert\$5 near4 binary\$5) and (printer\$5 adj2 (attribut\$5 parameter\$5 information\$5 characteristic\$5)) and @ad<19991007	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 16:48
-	62	(convert\$5 near4 binary\$5) and (printer\$5 adj2 (attribut\$5 parameter\$5 characteristic\$5)) and @ad<19991007	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 17:12
-	2	("5630062").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 17:15
-	2	("6452692").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 17:19
-	13	(convert\$5 with binar\$5) same ((printer\$2 copier\$5 fax\$5 facsimile\$5) adj2 (parameter\$5 characteristic\$5 preference\$5 attribut\$5 capabilit\$5)) and @ad<19991007	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 17:31
-	2	("6518636").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 17:33
-	33	(test\$5 adj2 (pattern\$5 area\$5 patch\$5)) same (printer\$5 adj3 (characteristic\$5 parameter\$5 attribut\$5)) and @ad<19991007	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 17:34
-	54	(computer\$5 with stor\$5) same (printer\$5 adj2 (capabilit\$5 parameter\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 18:08
-	76	(imag\$5 near2 process\$5) same convert\$5 same (gray\$5 near2 (scal\$5 imag\$3 data\$2 signal\$5) multilevel\$5 multi\$5 adj2 level\$5) same (binar\$5) same (computer\$5 host\$5 server\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 18:11

-	54	((imag\$5 near2 process\$5) same convert\$5 same (gray\$5 near2 (scal\$5 imag\$3 data\$2 signal\$5) multilevel\$5 multi\$5 adj2 level\$5) same (binar\$5) same (computer\$5 host\$5 server\$5)) and @ad<19991007	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 18:14
-	20320	(convert\$5 same binary\$5).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 18:15
-	16298	((convert\$5 same binary\$5).ab.) and @ad<19991007	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 18:15
-	15802	(convert\$5 with binary\$5).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 18:15
-	12625	((convert\$5 with binary\$5).ab.) and @ad<19991007	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 18:15
-	672	(conver\$5 with (grayscale\$5 multilevel\$5 color\$5) with binary\$5).ab. and @ad<19991007	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 18:20
-	5	"6452692"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 18:24
-	2	("6452692").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 18:25
-	990	(network\$5 with printer\$5) same (capbilit\$5 parameter\$5 characteristic\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 18:25
-	8	(network\$5 with printer\$5) same (capabilit\$5 parameter\$5 characteristic\$5) same (binary\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/13 10:25